

## List of Publications

### Refereed Papers as Joint Author

1. *Role of mass renormalization in adiabatic quantum tunneling*,  
N. Takigawa, K. Hagino, M. Abe and A.B. Balantekin, Phys. Rev. C49 (1994) 2630 – 2636.
2. *Dynamical norm method for non-adiabatic macroscopic quantum tunneling*,  
N. Takigawa, K. Hagino, and M.Abe, Phys. Rev. C51 (1995) 187 – 197.
3. *Effects of finite excitation energy of environment on fast quantum tunneling*,  
K. Hagino, N. Takigawa, J.R. Bennett, and D.M. Brink, Phys. Rev. C51 (1995) 3190 – 3200.
4. *Path integral approach to no-Coriolis approximation in heavy-ion collisions*,  
K. Hagino, N. Takigawa, A.B. Balantekin, and J.R. Bennett, Phys. Rev. C52 (1995) 286 – 290.
5. *Reply to “Comment on ‘Shape and superdeformed structure in Hg isotopes in relativistic mean field model’ and ‘Structure of neutron-deficient Pt, Hg and Pb isotopes’”*,  
N. Takigawa, S. Yoshida, K. Hagino, S.K. Patra, and C.R. Praharaj, Phys. Rev. C53 (1996) 1038 – 1040.
6. *Thermal fission rate around superfluid-normal phase transition*,  
K. Hagino, N. Takigawa, and M.Abe, Phys. Rev. C53 (1996) 1840 – 1844.
7. *Validity of the linear coupling approximation in heavy-ion fusion reactions at sub-barrier energies*,  
K. Hagino, N. Takigawa, M. Dasgupta, D.J. Hinde, and J.R. Leigh, Phys. Rev. C55 (1997) 276 – 284.
8. *Adiabatic quantum tunneling in heavy-ion sub-barrier fusion*,  
K. Hagino, N. Takigawa, M. Dasgupta, D.J. Hinde, and J.R. Leigh, Phys. Rev. Lett. 79 (1997) 2014 – 2017.
9. *Role of anharmonicities of nuclear vibrations in fusion reactions at subbarrier energies*,  
K. Hagino, N. Takigawa, and S. Kuyucak, Phys. Rev. Lett. 79 (1997) 2943 – 2946.
10. *Fusion barrier distributions in systems with finite excitation energy*,  
K. Hagino, N. Takigawa, and A.B. Balantekin, Phys. Rev. C56 (1997) 2104 – 2108.
11. *Excitation of nuclear anharmonic vibrations in heavy-ion fusion reactions*,  
K. Hagino, S. Kuyucak, and N. Takigawa, Phys. Rev. C57 (1998) 1349 – 1360.

12. *Effects of finite width of excited states on heavy-ion sub-barrier fusion reactions*,  
K. Hagino and N. Takigawa, Phys. Rev. C58 (1998) 2872 – 2878.
13. *Bremsstrahlung in  $\alpha$  decay*,  
N. Takigawa, Y. Nozawa, K. Hagino, A. Ono, and D.M. Brink, Phys. Rev. C59 (1999) R593 – R597.
14. *Fusion versus breakup: observation of large fusion suppression for  ${}^9\text{Be} + {}^{208}\text{Pb}$* ,  
M. Dasgupta, D.J. Hinde, R.D. Butt, R.M. Anjos, A.C. Berriman, N. Carlin, P.R.S. Gomes, C.R. Morton, J.O. Newton, A. Szanto de Toledo, and K. Hagino, Phys. Rev. Lett. 82 (1999) 1395 – 1398.
15. *Anharmonicity of the dipole resonance of metal clusters*,  
K. Hagino, Phys. Rev. B60 (1999) R2197 – R2199.
16. *Coupled-channels analysis of the fusion barrier distribution for the  ${}^{16}\text{O} + {}^{208}\text{Pb}$  reaction*,  
C.R. Morton, A.C. Berriman, M. Dasgupta, D.J. Hinde, J.O. Newton, K. Hagino, and I.J. Thompson, Phys. Rev. C60 (1999) 44608-1 – 11.
17. *Anharmonic collective excitation in a solvable model*,  
G.F. Bertsch, P.F. Bortignon, and K. Hagino, Nucl. Phys. A657 (1999) 59 – 72.
18. *A program for coupled-channels calculations with all order couplings for heavy-ion fusion reactions*,  
K. Hagino, N. Rowley, and A.T. Kruppa, Comput. Phys. Comm 123 (1999) 143 – 152.
19. *Effects of  $\beta_6$  deformation and low-lying vibrational bands on heavy-ion fusion reactions at sub-barrier energies*,  
T. Rumin, K. Hagino, and N. Takigawa, Phys. Rev. C61 (2000) 14605-1 – 11.
20. *RPA approach to rotational symmetry restoration in a three-level Lipkin model*,  
K. Hagino and G.F. Bertsch, Phys. Rev. C61 (2000) 024307-1 – 5.
21. *Role of break-up processes in fusion enhancement of drip-line nuclei below the Coulomb barrier*,  
K. Hagino, A. Vitturi, C.H. Dasso, and S.M. Lenzi, Phys. Rev. C61 (2000) 037602-1 – 4.
22. *Role of  ${}^{28}\text{Si}$  excitations in the sub-barrier fusion of  ${}^{28}\text{Si} + {}^{120}\text{Sn}$* ,  
L.T. Baby, V. Tripathi, J.J. Das, P. Sugathan, N. Madhavan, A.K. Sinha, M.C. Radhakrishna, P.V. Madhusoodhan Rao, S.K. Hui, and K. Hagino, Phys. Rev. C62 (2000) 014603-1–7.
23. *Correlation energy of the pairing Hamiltonian*,  
K. Hagino and G.F. Bertsch, Nucl. Phys. A679 (2000) 163 – 174.

24. *Mean field theory for global binding systematics*,  
G.F. Bertsch and K. Hagino, Phys. At. Nuclei 64 (2001) 588 – 594.
25. *Applicability of the orientation average formula in heavy-ion fusion reactions of deformed nuclei*,  
T. Rumin, K. Hagino, and N. Takigawa, Phys. Rev. C63 (2001) 044603/1–4.
26. *Role of deformation in the non-mesonic decay of light hypernuclei*,  
K. Hagino and A. Parreño, Phys. Rev. C63 (2001) 044318/1–6.
27. *Continuum QRPA in the coordinate space representation*,  
K. Hagino and H. Sagawa, Nucl. Phys. A695 (2001) 189 – 201.
28. *Influence of higher-order deformations in the  $^{34}\text{S} + ^{168}\text{Er}$  fusion reaction*,  
C.R. Morton, A.C. Berriman, R.D. Butt, M. Dasgupta, D.J. Hinde, A. Godley, J.O. Newton, and K. Hagino, Phys. Rev. C64 (2001) 034604/1–8.
29. *Role of dynamical particle-vibration coupling in reconciliation of the  $d_{3/2}$  puzzle for spherical proton emitters*,  
K. Hagino, Phys. Rev. C64 (2001) 041304(R)/1–5.
30. *Experimental barrier distributions for the fusion of  $^{12}\text{C}$ ,  $^{16}\text{O}$ ,  $^{28}\text{Si}$ , and  $^{35}\text{Cl}$  with  $^{92}\text{Zr}$  and coupled-channels analyses*,  
J.O. Newton, C.R. Morton, M. Dasgupta, J.R. Leigh, J.C. Mein, D.J. Hinde, H. Timmers, and K. Hagino, Phys. Rev. C64 (2001) 064608/1–12.
31. *Isotopic dependence and transfer channel coupling effects in the fusion of  $^{16}\text{O} + ^{112,116}\text{Sn}$  and  $^{32}\text{S} + ^{112,116,120}\text{Sn}$  at energies around the barrier*,  
V. Tripathi, L.T. Baby, J.J. Das, P. Sugathan, N. Madhavan, A.K. Sinha, P.V. Madhusoodhan Rao, S.K. Hui, R. Singh, and K. Hagino, Phys. Rev. C65 (2002) 014614/1–9.
32. *Projection and ground state correlations made simple*,  
K. Hagino, P.-G. Reinhard, and G.F. Bertsch, Phys. Rev. C65 (2002) 064320/1–11.
33. *Dominance of collective over proton transfer couplings in the fusion of  $^{32}\text{S}$  and  $^{34}\text{S}$  with  $^{89}\text{Y}$* ,  
A. Mukherjee, M. Dasgupta, D.J. Hinde, K. Hagino, J.R. Leigh, J.C. Mein, C.R. Morton, J.O. Newton, and H. Timmers, Phys. Rev. C66 (2002) 034607/1–8.
34. *Fusion and breakup in the reactions of  $^6\text{Li}$  and  $^7\text{Li}$  nuclei with  $^{209}\text{Bi}$* ,  
M. Dasgupta, D.J. Hinde, K. Hagino, S.B. Moraes, P.R.S. Gomes, R.M. Anjos, R.D. Butt, A.C. Berriman, N. Carlin, C.R. Morton, J.O. Newton, and A. Szanto de Toledo, Phys. Rev. C66 (2002) 041602(R)/1–4.
35. *Radiation correction to astrophysical fusion reactions and the electron screening problem*,  
K. Hagino and A.B. Balantekin, Phys. Rev. C66 (2002) 055801/1–5.

36. *Low-energy photodisintegration of  $^9\text{Be}$  with the molecular orbit model*,  
N. Itagaki and K. Hagino, Phys. Rev. C66 (2002) 057301/1–4.
37. *Fusion suppression and sub-barrier breakup of weakly bound nuclei*,  
D.J. Hinde, M. Dasgupta, B.R. Fulton, C.R. Morton, R.J. Wooliscroft, A.C. Berri-  
man and K. Hagino, Phys. Rev. Lett. 89 (2002) 272701/1–4.
38. *Fine structure in proton emission from  $^{145}\text{Tm}$  discovered with novel technique of  
digital signal processing*,  
M. Karny, R. Grzywacz, J.C. Batchelder, C.R. Bingham, C.J. Gross, K. Hagino, J.H.  
Hamilton, Z. Janas, W.D. Kulp, J.W. McConnell, M. Momayezi, A. Piechaczek, K.  
Rykaczewski, P.A. Semmes, J.A. Winger, and E.F. Zganjar, Phys. Rev. Lett. 90  
(2003) 012502/1–4.
39. *Near-barrier fusion of weakly bound  $^{6,7}\text{Li}$  with  $^{59}\text{Co}$* ,  
C. Beck, F.A. Souza, N. Rowley, S.J. Sanders, N. Aissaoui, E.E. Alonso, P. Bednar-  
czyk, N. Carlin, S. Courtin, A. Diaz-Torres, A. Dummer, F. Haas, A. Hachem, K.  
Hagino, F. Hoellinger, R.V.F. Janssens, N. Kintz, R. Liguori Neto, E. Martin, M.M.  
Moura, M.G. Munhoz, P. Papka, M. Rousseau, A. Sanchez i Zafra, O. Stzowski, A.A.  
Suaide, E.M. Szanto, A. Szanto de Toledo, S. Szilner, and J. Takahashi, Phys. Rev.  
C 67 (2003) 054602/1–5.
40. *Fusion cross sections at deep subbarrier energies*,  
K. Hagino, N. Rowley, and M. Dasgupta, Phys. Rev. C 67 (2003) 054603/1–4.
41. *Electromagnetic moments and electric dipole transitions in carbon isotopes*,  
T. Suzuki, H. Sagawa, and K. Hagino, Phys. Rev. C 68 (2003) 014317/1–10.
42. *Quadrupole correlation energy by the generator coordinate method*,  
K. Hagino, G.F. Bertsch, and P.-G. Reinhard, Phys. Rev. C 68 (2003) 024306/1–8.
43. *Role of virtual break-up of projectile in astrophysical fusion reactions*,  
K. Hagino, M.S. Hussein, and A.B. Balantekin, Phys. Rev. C68 (2003) 048801/1–4.
44. *Near barrier fusion excitation function of  $^6\text{Li} + ^{208}\text{Pb}$* ,  
Y.W. Wu, Z.H. Liu, C.J. Lin, H.Q. Zhang, M. Ruan, F. Yang, Z.C. Li, M. Trotta,  
and K. Hagino, Phys. Rev. C68 (2003) 044605/1–5.
45. *Structure of positive energy states in a deformed mean-field potential*,  
K. Hagino and Nguyen Van Giai, Nucl. Phys. A735 (2004) 55–76.
46. *Subbarrier fusion in the systems  $^{11,10}\text{Be} + ^{209}\text{Bi}$* ,  
C. Signorini, A. Yoshida, Y.X. Watanabe, D. Pierroutsakou, L. Stroe, T. Fukuda,  
M. Mazzocco, N. Fukuda, Y. Mizoi, M. Ishihara, H. Sakurai, A. Diaz-Torres, and  
K. Hagino, Nucl. Phys. A735 (2004) 329–344.

47. *Systematics of the diffuseness parameter in heavy-ion fusion reactions: the need for a new dynamical treatment of fusion?*,  
J.O. Newton, R.D. Butt, M. Dasgupta, I. Gontchar, D.J. Hinde, C.R. Morton, A. Mukherjee, and K. Hagino, Phys. Lett. B586 (2004) 219–224.
48. *Large angle scattering and quasi-elastic barrier distributions*,  
K. Hagino and N. Rowley, Phys. Rev. C69 (2004) 054610/1-11.
49. *WKB approximation for multi-channel barrier penetrability*,  
K. Hagino and A.B. Balantekin, Phys. Rev. A70 (2004)032106/1–6.
50. *Systematic failure of the Woods-Saxon nuclear potential to describe both fusion and elastic scattering: Possible need for a new dynamical approach to fusion*,  
J.O. Newton, R.D. Butt, M. Dasgupta, D.J. Hinde, I.I. Gontchar, C.R. Morton, and K. Hagino, Phys. Rev. C70 (2004) 024605/1-15.
51. *Perturbative Hartree-Fock-Bogoliubov model for many-body pairing correlations*,  
K. Hagino and H. Sagawa, Phys. Rev. C71 (2005) 044302/1-5.
52. *Surface diffuseness anomaly in heavy-ion potentials for large-angle quasielastic scattering*,  
K. Hagino, T. Takehi, A.B. Balantekin, and N. Takigawa, Phys. Rev. C71 (2005) 044612/1-4.
53. *Absence of structure in the  $^{20,22}\text{Ne} + ^{118}\text{Sn}$  quasi-elastic barrier distribution*,  
E. Piasecki, L. Swiderski, P. Czosnyka, M. Kowalczyk, K. Piaseki, M. Witecki, T. Czosnyka, J. Jastrzebski, A. Kordyasz, M. Kisielinski, T. Krogulski, M. Mütterer, S. Khlebnikov, W.H. Trzaska, K. Hagino, and N. Rowley, Phys. Lett. B615 (2005) 55-60.
54. *Pairing correlations in nuclei on the neutron-drip line*,  
K. Hagino and H. Sagawa, Phys. Rev. C72 (2005) 044321/1-4.
55. *Role of low- $l$  component in deformed wave functions near the continuum threshold*,  
K. Yoshida and K. Hagino, Phys. Rev. C72 (2005) 064321/1-6.
56. *An extra push from entrance-channel effects*,  
N. Rowley, N. Grar, and K. Hagino, Phys. Lett. B632 (2006) 243-246.
57. *Systematic of isomeric configurations in  $N=77$  odd- $Z$  isotones near the proton drip line*,  
M.N. Tantawy, C.R. Bingham, K.P. Rykaczewski, J.C. Batchelder, W. Krolas, M. Danchev, D. Fong, T.N. Ginter, C.J. Gross, R. Grzywacz, K. Hagino, J.H. Hamilton, D.J. Hartley, M. Karny, K. Li, C. Mazzocchi, A. Piechaczek, A.V. Ramayya, K. Rykaczewski, D. Shapira, A. Stolz, J.A. Winger, C.-H. Yu, and E.F. Zganjar, Phys. Rev. C73 (2006) 024316/1-17.

58. *Disentangling the reaction mechanisms of weakly bound nuclei*,  
P.R.S. Gomes, I. Padron, E. Crema, O.A. Capurrod, J.O. Fernandez Niellod, G.V. Marti, A. Arazi, M. Trotta, J. Lubian, M.E. Ortega, A.J. Pacheco, M.D. Rodriguez, J.E. Testoni, R.M. Anjos, L.C. Chamon, M. Dasgupta, D.J. Hinde and K. Hagino, Phys. Lett. B634 (2006) 356-361.
59. *Probing surface diffuseness of nucleus-nucleus potential with quasielastic scattering at deep sub-barrier energies*,  
K. Washiyama, K. Hagino, and M. Dasgupta, Phys. Rev. C73 (2006) 034607/1-5.
60. *Comprehensive study of reaction mechanisms for the  ${}^9\text{Be}+{}^{144}\text{Sm}$  system at near- and sub-barrier energies* ,  
P.R.S. Gomes, I. Padron, E. Crema, O.A. Capurrod, J.O. Fernandez Niellod, A. Arazi, G.V. Marti, J. Lubian, M. Trotta, A.J. Pacheco, J.E. Testoni, M.D. Rodriguez, M.E. Ortega, L.C. Chamon, R.M. Anjos, R. Veiga, M. Dasgupta, D.J. Hinde and K. Hagino, Phys. Rev. C73 (2006) 064606/1-11.
61. *Deformation parameter for diffuse density*,  
K. Hagino, L.W. Lwin, and M. Yamagami, Phys. Rev. C74 (2006) 017310/1-4.
62. *No-recoil approximation to knock-on exchange potential in the double folding model for heavy-ion collisions*,  
K. Hagino, T. Takehi, and N. Takigawa, Phys. Rev. C74 (2006) 037601/1-4.
63. *Three-body model calculations for the  ${}^{16}\text{C}$  nucleus*,  
K. Hagino and H. Sagawa, Phys. Rev. C75 (2007) 021301(R)/1-5.
64. *Effect of electronic environment on neutrino-nucleus reactions at r-process sites*,  
F. Minato, K. Hagino, N. Takigawa, A.B. Balantekin, and Ph. Chomaz, Phys. Rev. C75 (2007) 045802/1-5.
65. *Failure of the Woods-Saxon nuclear potential to simultaneously reproduce precise fusion and elastic scattering measurements*,  
A. Mukherjee, D.J. Hinde, M. Dasgupta, K. Hagino, J.O. Newton, R.D. Butt, Phys. Rev. C75 (2007) 044608/1-7.
66. *Existence of one-body barrier revealed in deep sub-barrier fusion*,  
T. Ichikawa, K. Hagino, and A. Iwamoto, Phys. Rev. C75 (2007) 057603/1-4.
67. *Systematics of threshold incident energy for deep sub-barrier fusion*,  
Phys. Rev. C75 (2007) 064612/1-4.
68. *Coexistence of BCS- and BEC-Like pair structures in halo nuclei*,  
K. Hagino, H. Sagawa, J. Carbonell, and P. Schuck, Phys. Rev. Lett. 99 (2007) 022506.

69. *Probing the tail of the nuclear potential between identical nuclei with quasi-elastic Mott scattering*,  
D.J. Hinde, R.L. Ahlefeldt, R.G. Thomas, K. Hagino, M.L. Brown, M. Dasgupta, M. Evers, L.R. Gasques, and M.D. Rodriguez, Phys. Rev. C76 (2007) 014617/1-9.
70. *Charge radius and dipole response of  $^{11}\text{Li}$* ,  
H. Esbensen, K. Hagino, P. Mueller, and H. Sagawa, Phys. Rev. C76 (2007) 024302/1-6.
71. *Potential inversion with subbarrier fusion data reexamined*,  
K. Hagino and Y. Watanabe, Phys. Rev. C 76 (2007) 021601(R)/1-4.
72. *Systematic study of the nuclear potential through high precision back-angle quasi-elastic scattering measurements*,  
L.R. Gasques, M. Evers, D.J. Hinde, M. Dasgupta, P.R.S. Gomes, R.M. Anjos, M.L. Brown, M.D. Rodriguez, R.G. Thomas, and K. Hagino, Phys. Rev. C76 (2007) 024612/1-9.
73. *Dipole excitation and geometry of borromean nuclei*,  
K. Hagino and H. Sagawa, Phys. Rev. C76 (2007) 047302/1-4.
74. *BCS-BEC crossover of neutron pairs in symmetric and asymmetric nuclear matters*,  
J. Margueron, H. Sagawa, and K. Hagino, Phys. Rev. C76 (2007) 064316/1-11.
75. *Effects of anharmonic vibration on large-angle quasi-elastic scattering of  $^{16}\text{O}+^{144}\text{Sm}$* ,  
Muhammad Zamrun F. and K. Hagino, Phys. Rev. C77 (2008) 014606/1-7.
76. *Coupled-channels analyses for large-angle quasi-elastic scattering in massive systems*,  
Muhammad Zamrun F., K. Hagino, S. Mitsuoka, and H. Ikezoe, Phys. Rev. C77 (2008) 034604/1-11.
77. *Fission barriers in the neutron-proton isospin plane for heavy neutron-rich nuclei*,  
F. Minato and K. Hagino, Phys. Rev. C77 (2008) 044308/1-5.
78. *Effective pairing interactions with isospin density dependence*,  
J. Margueron, H. Sagawa, and K. Hagino, Phys. Rev. C77 (2008) 054309/1-10.
79. *Strong dineutron correlation in  $^8\text{He}$  and  $^{18}\text{C}$* ,  
K. Hagino, N. Takahashi, and H. Sagawa, Phys. Rev. C77 (2008) 054317/1-9.
80. *Shape evolution of C isotopes in (beta, gamma) deformation plane*,  
Y. Zhang, H. Sagawa, D. Yoshino, K. Hagino and J. Meng, Prog. Theo. Phys. 120 (2008) 129-142.
81. *Reply to "Comment on 'Coexistence of BCS- and BEC-Like pair structures in halo nuclei'"*,  
K. Hagino, H. Sagawa, J. Carbonell, and P. Schuck, Phys. Rev. Lett. 101 (2008) 179202.

82. *Deformation of Lambda-hypernuclei*,  
Myaing Thi Win and K. Hagino, Phys. Rev. C78 (2008) 054311/1-5.
83. *Systematic study of the surface properties of the nuclear potential with high precision large-angle quasi-elastic scatterings*,  
C.J. Lin, H.M. Jia, H.Q. Zhang, F. Yang, X.X. Xu, F. Jia, Z.H. Liu, and K. Hagino, Phys. Rev. C79 (2009) 064603/1-5.
84. *Two-particle correlations in continuum dipole transitions in Borromean nuclei*,  
K. Hagino, H. Sagawa, T. Nakamura, and S. Shimoura, Phys. Rev. C80 (2009) 031301(R)/1-4.
85. *Test of finite temperature random-phase approximation on a Lipkin model*,  
K. Hagino and F. Minato, Phys. Rev. C80 (2009) 047301/1-4.
86. *Signature of smooth transition from diabatic to adiabatic states in heavy-ion fusion reactions at deep subbarrier energies*,  
T. Ichikawa, K. Hagino, and A. Iwamoto, Phys. Rev. Lett. 103 (2009) 202701/1-4.
87. *Fission of heavy Lambda hypernuclei with the Skyrme-Hartree-Fock approach*,  
F. Minato, S. Chiba, and K. Hagino, Nucl. Phys. A831 (2009) 150-162.
88. *Effects of weakly coupled channels on quasielastic barrier distributions*,  
E. Piasecki, L. Swiderski, W. Gawlikowicz, J. Jastrzebski, N. Keeley, M. Kisielinski, S. Kliczewski, A. Kordyasz, M. Kowalczyk, S. Khlebnikov, E. Koshchiy, E. Kozulin, T. Krogulski, T. Loktev, M. Mutterer, K. Piasecki, A. Piorkowska, K. Rusek, A. Staudt, M. Sillanpa, S. Smirnov, I. Strojek, G. Tiourin, W.H. Trzaska, A. Trzcinska, K. Hagino, and N. Rowley, Phys. Rev. C80 (2009) 054613/1-7.
89. *Exploring fusion at extreme sub-barrier energies with weakly bound nuclei*,  
A. Shrivastava, A. Navin, A. Lemasson, K. Ramachandran, V. Nanal, M. Rejmund, K. Hagino, T. Ichikawa, S. Bhattacharyya, A. Chatterjee, S. Kailas, K. Mahata, K. V.V. Parkar, R.G. Pillay, and P.C. Rout. Phys. Rev. Lett. 103 (2009) 232702/1-4.
90. *beta-decay half-lives at finite temperatures for N=82 isotones*,  
F. Minato and K. Hagino, Phys. Rev. C80 (2009) 065808/1-7.
91. *Hyperons as a probe of nuclear deformation*,  
H.-J. Schulze, Myaing Thi Win, K. Hagino and H. Sagawa, Prog. Theo. Phys. 123 (2010) 569-580.
92. *Structure of  $^{72,74}\text{Ge}$  nuclei probed with a combined analysis of heavy-ion fusion reactions and Coulomb excitation*,  
Muhammad Zamrun F., Zakarya Mohamed Mohamed Mahmoud, N. Takigawa, and K. Hagino, Phys. Rev. C81 (2010) 044609/1-8.
93. *Cooper pair sizes in  $^{11}\text{Li}$  and in superfluid nuclei: a puzzle?*,  
K. Hagino, H. Sagawa, and P. Schuck, J. of Phys. G37 (2010) 064040/1 - 064040/7.

94. *Role of non-collective excitations in low-energy heavy-ion reactions*,  
S. Yusa, K. Hagino, and N. Rowley, Phys. Rev. C82 (2010) 024606/1-7.
95. *Diproton correlation in the proton-rich Borromean nucleus  $^{17}\text{Ne}$* ,  
T. Oishi, K. Hagino, and H. Sagawa, Phys. Rev. C82 (2010) 024315/1-5; Phys. Rev. C82 (2010) 069901(E).
96. *Effect of pairing correlations on incompressibility and symmetry energy in nuclear matter and finite nuclei*,  
E. Khan, J. Margueron, G. Colo, K. Hagino, and H. Sagawa, Phys. Rev. C82 (2010) 024322/1-9.
97. *Nuclear orientation in the reaction  $^{34}\text{S}+^{238}\text{U}$  and synthesis of the new isotope  $^{268}\text{Hs}$* ,  
K. Nishio, S. Hofmann, F.P. Hessberger, D. Ackermann, S. Antalic, Y. Aritomo, V.F. Comas, Ch.E. Dullmann, A. Gorshkov, R. Graeger, K. Hagino, S. Heinz, J.A. Heredia, K. Hirose, H. Ikezoe, J. Khuyagbaatar, B. Kindler, I. Kojouharov, B. Lommel, R. Mann, S. Mitsuoka, Y. Nagame, I. Nishinaka and T. Ohtsuki, Phys. Rev. C82 (2010) 024611/1-9.
98. *Iterative solution of a Dirac equation with inverse Hamiltonian method*,  
K. Hagino and Y. Tanimura, Phys. Rev. C82 (2010) 057301/1-4.
99. *Two-neutron halo nuclei in one dimension: dineutron correlation and breakup reaction*,  
K. Hagino, A. Vitturi, F. Perez-Bernal, and H. Sagawa, J. of Phys. G38 (2011) 015105/1-15.
100. *Shape of Lambda hypernuclei in the (beta,gamma) deformation plane*,  
Myaing Thi Win, K. Hagino and T. Koike, Phys. Rev. C83 (2011) 014301/1-9.
101. *Ground state properties and Coulomb dissociation of the deformed halo nucleus  $^{31}\text{Ne}$* ,  
Y. Urata, K. Hagino, and H. Sagawa, Phys. Rev. C83 (2011) 041303(R)/1-5.
102. *Evidence for pairing anti-halo effect in odd-even staggering in reaction cross sections of weakly bound nuclei*,  
K. Hagino and H. Sagawa, Phys. Rev. C84 (2011) 011303(R)/1-4.
103. *Microscopic description of quantum shape fluctuation in C isotopes*,  
J.M. Yao, J. Meng, P. Ring, Z.P. Li, and K. Hagino, Phys. Rev. C84 (2011) 024306/1-9.
104. *Impurity effect of Lambda hyperon on collective excitations of atomic nuclei*,  
J.M. Yao, Z.P. Li, K. Hagino, M. Thi Win, Y. Zhang, and J. Meng, Nucl. Phys. A868 (2011) 12-24.

105. *Effect of proton-proton Coulomb repulsion on soft dipole excitations of light proton-rich nuclei* ,  
T. Oishi, K. Hagino, and H. Sagawa, Phys. Rev. C84 (2011) 057301/1-3.
106. *Relation between shrinkage effect and compression of rotational spectrum in  ${}^7_\Lambda\text{Li}$  hypernucleus*,  
K. Hagino and T. Koike, Phys. Rev. C, in press. arXiv:1111.2894.
107. *Hyperon effects in covariant density functional theory with recent astrophysical observations*,  
W.H. Long, B.Y. Sun, K. Hagino, and H. Sagawa, arXiv:1109.5428 [nucl-th].
108. *Description of single-Lambda hypernuclei with relativistic point coupling model*,  
Y. Tanimura and K. Hagino, arXiv:1111.1488 [nucl-th].
109. *Pairing correlations and odd-even staggering in reaction cross sections of weakly bound nuclei*,  
K. Hagino and H. Sagawa, arXiv:1112.1537.

#### Conference Papers

1. *Multi-nucleon transfer reactions and fusion with unstable nuclei*,  
N. Takigawa, S. Yoshida, K. Hagino, and S.K. Patra, Nucl. Phys. A588(1995)91c – 97c.
2. *Effects of dissipation and non-adiabaticity in heavy-ion fusion reactions and fission*,  
N. Takigawa, K. Hagino, and M. Abe, in proc. of the international conference on Heavy-Ion Fusion: Exploring the Variety of Nuclear Properties (World Scientific, Singapore, 1995) p. 266 – 279.
3. *Heavy-ion fusion reactions as macroscopic quantum tunneling*,  
N. Takigawa and K. Hagino, Prog. Theo. Phys. Suppl. 124(1996)101 – 122.
4. *Effects of dissipation on fast quantum tunneling*,  
K. Hagino, N. Takigawa, J.R. Bennett, and D.M. Brink, Prog. Theo. Phys. Suppl. 124(1996)123 –129.
5. *Probing anharmonic properties of nuclear surface vibration by heavy-ion fusion reactions*,  
N. Takigawa, K. Hagino, and S. Kuyucak, J. of Phys. G23 (1997) 1367 – 1375.
6. *Importance of non-linear couplings in fusion barrier distributions and mean angular momenta*,  
K. Hagino, N. Takigawa, M. Dasgupta, D.J. Hinde, and J.R. Leigh, J. of Phys. G23 (1997) 1413 – 1421.
7. *Evidence of double phonon excitations in  ${}^{16}\text{O} + {}^{208}\text{Pb}$  reaction*,  
M. Dasgupta, K. Hagino, C.R. Morton, D.J. Hinde, J.R. Leigh, N. Takigawa, H. Timmers, and J.O. Newton, J. of Phys. G23 (1997) 1491 – 1496.

8. *Barrier distributions as a tool to investigate fusion and fission*,  
M. Dasgupta, D.J. Hinde, J.R. Leigh and K. Hagino, Nucl. Phys. A630 (1998) 78c – 91c.
9. *Anharmonic phonon excitations in subbarrier fusion reactions*,  
K. Hagino, N. Takigawa, and S. Kuyucak, in proc. of Tours Symposium on Nuclear Physics III, edited by M. Arnould et al., AIP conference proceedings 425, (AIP, New York, 1998) p. 259 – 268.
10. *Exploiting barrier distributions to investigate breakup effects in the fusion of  ${}^9\text{Be} + {}^{208}\text{Pb}$* ,  
M. Dasgupta, D.J. Hinde, R.D. Butt, A.C. Berriman, C.R. Morton, J.O. Newton, and K. Hagino, Pramana 53 (1999) 513 – 520.
11. *Sub-barrier fusion of drip-line nuclei*,  
K. Hagino and A. Vitturi, in proceedings of the international workshop on fusion dynamics at the extremes, edited by Yu.Ts. Oganessian and V. Zagrebaev, (World Scientific, Singapore, 2001), p. 325 – 346.
12. *Continuum QRPA in the coordinate space representation*,  
K. Hagino and H. Sagawa, RIKEN Review 39 (2001) 27.
13. *Surface diffuseness anomaly in heavy-ion fusion potentials*,  
K. Hagino, M. Dasgupta, I.I. Gontchar, D.J. Hinde, C.R. Morton, and J.O. Newton, in proceedings of the 4th Italy-Japan symposium on heavy-ion physics, edited by S. Kubono et al. (World Scientific, Singapore, 2002), p. 87 – 98. e-print: nucl-th/0110065.
14. *Dynamical particle-phonon couplings in proton emission from spherical nuclei*,  
K. Hagino, Prog. Theor. Phys. Suppl. 146 (2002) 348 – 357.
15. *Fine structure in proton emission*,  
K.P. Rykaczewski, R.K. Grzywacz, J.C. Batchelder, C.R. Bingham, C.J. Gross, D. Fong, J.H. Hamilton, D.J. Hartley, P. Hausladen, J.K. Hwang, M. Karny, W. Krolas, Y. Larochele, T.A. Lewis, K.H. Maier, J.W. McConnell, A. Piechaczek, A.V. Ramayya, K. Rykaczewski, D. Shapira, M.N. Tantawy, J.A. Winger, C.-H. Yu, E.F. Zganjar, A.T. Kruppa, W. Nazarewicz, T. Vertse, and K. Hagino, in proceedings of the international conference on nuclear structure “Mapping the Triangle” (ICNS2002), Jackson Lake Lodge, Grand Teton National Park, Wyoming, May 21 – 26, 2002, AIP conference proceedings 638, (AIP, New York, 2002) p. 155.
16. *Importance of clustering in light neutron-rich nuclei*,  
N. Itagaki, K. Hagino, T. Otsuka, S. Okabe, and K. Ikeda, Nucl. Phys. A719 (2003) 205c – 208c.

17. *Exotic structure of carbon isotopes*,  
T. Suzuki, H. Sagawa, and K. Hagino, in the proceedings of the International Symposium on “Frontiers of Collective Motions (CM2002)”, Aizu, Japan, Nov. 6–9, 2002 (World Scientific Inc.), p. 236 – 241.
18. *Insights into the influence of breakup on fusion through reaction with weakly bound nuclei*,  
M. Dasgupta, D.J. Hinde, and K. Hagino, Nucl. Phys. A722 (2003) 196c–201c.
19. *New structure problems in drip line nuclei*,  
H. Sagawa, T. Suzuki, and K. Hagino, Nucl. Phys. A722 (2003) 183c–189c.
20. *Continuum QRPA response for deformed neutron-rich nuclei*,  
K. Hagino, Nguyen Van Giai, and H. Sagawa, Nucl. Phys. A731 (2004) 264 - 272.
21. *Variational RPA for the dipole surface plasmon in metal clusters*,  
K. Hagino, G.F. Bertsch, and C. Guet, Nucl. Phys. A731 (2004) 347 - 354.
22. *Fusion dynamics around the Coulomb barrier*,  
K. Hagino, N. Rowley, T. Ohtsuki, M. Dasgupta, J.O. Newton, and D.J. Hinde, in the proceedings of the 5th Tours Symposium on Nuclear Physics (Tours 2003), Tours, France, Aug. 26 - 29, 2003, AIP conference proceedings 704, (AIP, New York, 2004) p. 82 –91. e-print: nucl-th/0311008.
23. *Reaction dynamics for fusion of weakly-bound nuclei*,  
K. Hagino and A. Vitturi, Prog. Theo. Phys. Suppl. 154 (2004) 77 - 84.
24. *The nuclear potential in heavy-ion fusion*,  
M. Dasgupta, D.J. Hinde, J.O. Newton, and K. Hagino, Prog. Theo. Phys. Suppl. 154 (2004) 209 - 216.
25. *Near barrier fusion excitation function of  ${}^6\text{Li} + {}^{208}\text{Pb}$* ,  
Y.W. Wu, Z.H. Liu, C.J. Lin, H.Q. Zhang, M. Ruan, F. Yang, Z.C. Li, M. Trotta, and K. Hagino, Prog. Theo. Phys. Suppl. 154 (2004) 177 - 183.
26. *Fusion and breakup in the reactions of  ${}^{6,7}\text{Li}$  and  ${}^9\text{Be}$* ,  
K. Hagino, M. Dasgupta and D.J. Hinde, Nucl. Phys. A738 (2004) 475c - 478c.
27. *How many fusion barriers?*,  
L. Swiderski, P. Czosnyka, M. Kowalczyk, E. Piasecki, K. Piaseki, M. Witecki, J. Jastrzebski, A. Kordyasz, M. Kisielinski, T. Krogulski, N. Rowley, C. Marchetta, A. Pagano, M. Mutterer, W.H. Trzaska, and K. Hagino, Int. J. Mod. Phys. E13 (2004) 315 - 320.
28. *Electric dipole transitions in neutron-rich nuclei*,  
T. Suzuki, H. Sagawa, and K. Hagino, Phys. of Atom. Nucl., 67 (2004) 1674 - 1681.

29. *Quasi-elastic barrier distribution as a tool for investigating unstable nuclei*,  
K. Hagino and N. Rowley, Brazilian J. of Phys. 35 (2005) 890-893.
30. *Study of fine structure in the proton radioactivity of  $^{146}\text{Tm}$* ,  
J. C. Batchelder, M. Tantawy, C. R. Bingham, M. Danchev, D. J. Fong, T. N. Ginter, C. J. Gross, R. Grzywacz, K. Hagino, J. H. Hamilton, M. Karny, W. Krolas, C. Mazzocchi, A. Piechaczek, A. V. Ramayya, K. P. Rykaczewski, A. Stolz, J. A. Winger, C. -H. Yu and E. F. Zganjar, Euro. Phys. J. A25, Suppl. 1 (2005) 149 - 150.
31. *Structure of rare-earth nuclei around the proton drip line*,  
K. P. Rykaczewski, R. K. Grzywacz, C. R. Bingham, M. Danchev, C. Mazzocchi, M. N. Tantawy, C. J. Gross, C. H. Yu, J. C. Batchelder, M. Karny, W. Krolas, D. Fong, J. H. Hamilton, A. V. Ramayya, A. Piechaczek, E. Zganjar, J. A. Winger, T. N. Ginter, A. Stolz, and K. Hagino, AIP Conf. Proc. 764 (2005) 223 - 228.
32. *Nuclear structure studies at the proton drip line via proton radioactivity studies*,  
C.R.Bingham, M.N.Tantawy, J.C.Batchelder, M.Danchev, T.N.Ginter, C.J.Gross, D.J.Fong, R.Grzywacz, K.Hagino, J.H.Hamilton, M.Karny, W.Krolas, C.Mazzocchi, A.Piechaczek, A.V.Ramayya, K.Rykaczewski, A.Stolz, J.A.Winger, C.-H.Yu, and E.F.Zganjar, Nucl. Instrum. Methods Phys. Res. B241 (2005) 185 - 189.
33. *Probing internucleus potential with large-angle quasi-elastic scattering*,  
K. Hagino and K. Washiyama, in the proceedings of FUSION06: International Conference on Reaction Mechanisms and Nuclear Structure at the Coulomb barrier, March 19-23, 2006, San Servolo, Venezia, Italy, AIP conference proceedings 853 (2006) 86 - 93.
34. *Sub-barrier fusion cross section with energy density formalism*,  
Muhammad Zamrun F., K. Hagino and N. Takigawa, in the proceedings of FUSION06: International Conference on Reaction Mechanisms and Nuclear Structure at the Coulomb barrier, March 19-23, 2006, San Servolo, Venezia, Italy, AIP conference proceedings 853 (2006) 309 - 314.
35. *Large-angle quasi-elastic scattering around the Coulomb barrier* ,  
K. Hagino, in the proceedings of the sixth China-Japan joint nuclear physics symposium, May 16-20, 2006, Shanghai, China, to be published in AIP conference proceedings (AIP, New York, 2006).
36. *Recent developments in quasi-elastic scattering around the Coulomb barrier*,  
K. Hagino, in the proceedings of the TOURS2006: Tours Symposium on Nuclear Physics VI, September 5-8, 2006, Tours, France, AIP conference proceedings 891 (AIP, New York, 2007) p. 80 - 88. (e-print:nucl-th/0611015).
37. *Screening effects on neutrino-nucleus reactions*,  
F. Minato, K. Hagino, N. Takigawa, A.B. Balantekin, and Ph. Chomaz, in the proceedings of the TOURS2006: Tours Symposium on Nuclear Physics VI, September

- 5-8, 2006, Tours, France, AIP conference proceedings 891 (AIP, New York, 2007) p. 401 - 404.
38. *Effects of transitional shape and shape admixture and of anti-symmetrization on sub-barrier fusion*,  
N. Takigawa, Zakarya Mohamed Mohamed Mohmoud, Muhammad Zamrun F., Nyein Wink Lwin, T. Takehi, and K. Hagino Nucl. Phys. A787 (2007) 190c-197c.
  39. *Pairing correlations and soft dipole excitations in nuclei on the neutron-drip line*,  
H. Sagawa and K. Hagino, Phys. of Atom. Nucl., 70 (2007) 1321 - 1329.
  40. *Existence of a one-body barrier revealed in deep subbarrier fusion*,  
T. Ichikawa, K. Hagino, and A. Iwamoto, in the Proceedings of International Nuclear Physics Conference 2007 (INPC2007), June 3-8, 2007, Tokyo, Japan, vol. 2 (2008) 519-521.
  41. *Heavy-ion reactions at deep subbarrier energies*,  
K. Hagino, K. Washiyama, Y. Watanabe, and T. Ichikawa, in the Proceedings of International Nuclear Physics Conference 2007 (INPC2007), June 3-8, 2007, Tokyo, Japan, vol. 2 (2008) 525-527.
  42. *Pairing correlations in halo nuclei*,  
H. Sagawa and K. Hagino, in Proceedings of International Symposium on Physics of Unstable Nuclei (ISPUN07), July 3-7, 2007, Hoi An, Vietnam (World Scientific, Singapore, 2008) p. 266- 273.
  43. *Isospin dependent pairing interactions and BCS-BEC crossover*,  
H. Sagawa, J. Margueron, and K. Hagino, in Proceedings of International Symposium on the Nuclear Physics and Astrophysics: From Stable Beams to Exotic Nuclei, June 25-30, 2008, Cappadocia, Turkey. AIP Conf. Proc. 1072 (2008) 142-147.
  44. *Thermal effects on the Fission Barrier of neutron-rich nuclei*,  
F. Minato and K. Hagino, in Proceedings of International Symposium on the Nuclear Physics and Astrophysics: From Stable Beams to Exotic Nuclei, June 25-30, 2008, Cappadocia, Turkey. AIP Conf. Proc. 1072 (2008) 277-280.
  45. *Fusion at deep subbarrier energies: potential inversion revisited*,  
K. Hagino and N. Rowley, in Proceedings of the FUSION08: International Conference on New Aspects of Heavy Ion Collisions Near the Coulomb Barrier, September 22-26, 2008, Chicago, USA. AIP Conf. Proc. 1098 (2009) 18-25.
  46. *Existence of a one-body barrier revealed in deep subbarrier fusion*,  
T. Ichikawa, K. Hagino and A. Iwamoto, in Proceedings of the FUSION08: International Conference on New Aspects of Heavy Ion Collisions Near the Coulomb Barrier, September 22-26, 2008, Chicago, USA. AIP Conf. Proc. 1098 (2009) 32-37.

47. *Fusion and quasi-elastic scattering around the Coulomb barrier: determination of inter-nucleus potential*,  
K. Hagino, in Proceedings of the 6th Japan-Italy symposium on Heavy-Ion physics, Nov. 11-15, 2008, Tokai, Japan. AIP Conf. Proc. 1120 (2009) 3-8.
48. *Are the Weak Channels Really Weak?*,  
E. Piasecki, A. Trzcinska, W. Gawlikowicz, J. Jastrzebski, N. Keeley, M. Kisielinski, S. Kliczewski, A. Kordyasz, M. Kowalczyk, S. Khlebnikov, E. Koshchiy, E. Kozulin, T. Krogulski, T. Lotkiew, M. Mutterer, K. Piasecki, A. Piorkowska, K. Rusek, A. Staudt, I. Strojek, W.H. Trzaska, M. Sillanpaa, S. Smirnov, G. Tiourin, K. Hagino, N. Rowley, Acta Phys. Polonica B40 (2009) 849-852.
49. *Pairing correlation in unstable nuclei and BCS-BEC crossover*,  
H. Sagawa, J. Margueron, and K. Hagino, in Proceedings of Franco-Japanese Symposium on "New Paradigms in Nuclear Physics", Sep. 29-Oct. 2, 2008, Paris, France. Int. J. of Mod. Phys. E18 (2009) 2035-2039
50. *Di-neutron correlation in light neutron-rich nuclei*,  
K. Hagino, H. Sagawa, and P. Schuck, in Proceedings of Franco-Japanese Symposium on "New Paradigms in Nuclear Physics", Sep. 29-Oct. 2, 2008, Paris, France. Int. J. of Mod. Phys. E18 (2009) 2045-2049.
51. *Deformation and weak decay of Lambda hypernuclei*,  
K. Hagino, Myaing Thi Win, and Y. Nakagawa, in Proceedings of Sendai International Symposium on Strangeness Nuclear and Hadronic Systems (SENDAI08), Dec. 15-18, 2008, Sendai, Japan (World Scientific, 2010) 260-265.
52. *Deformation of Lambda hypernuclei*,  
Myaing Thi Win and K. Hagino, in Proceedings of Sendai International Symposium on Strangeness Nuclear and Hadronic Systems (SENDAI08), Dec. 15-18, 2008, Sendai, Japan (World Scientific, 2010) 418-419.
53. *Mesonic decay of neutron-rich Lambda hypernuclei with Skyrme-Hartree-Fock method*,  
Y. Nakagawa and K. Hagino, in Proceedings of Sendai International Symposium on Strangeness Nuclear and Hadronic Systems (SENDAI08), Dec. 15-18, 2008, Sendai, Japan (World Scientific, 2010) 402-403.
54. *Two neutron correlations in exotic nuclei*,  
H. Sagawa and K. Hagino, in Proceedings of international conference "Nuclear Structure and Dynamics (NSD09)", May 4-8, 2009, Dubrovnik, Croatia. AIP Conf. Proc. 1165 (2009) 110-113.
55. *Electron screening effects on alpha-decay*,  
A. Musumarra, F. Farinon, C. Nociforo, H. Geissel, G. Baur, K.-H. Behr, A. Bonasera, F. Bosch, D. Boutin, A. Brunle, L. Chen, A. Del Zoppo, C. Dimopoulou, A. Di Pietro, T. Faestermann, P. Figuera, K. Hagino, R. Janik, C. Karagiannis, P. Kienle, S. Kimura, R. Knobel, I. Kojouharov, C. Kozhuharov, T. Kuboki, J.

- Kurcewicz, N. Kurz, K. Langanke, M. Lattuada, S. A. Litvinov, Yu. A. Litvinov, G. Martinez-Pinedo, M. Mazzocco, F. Montes, Y. Motizuki, F. Nolden, T. Ohtsubo, Y. Okuma, Z. Patyk, M. G. Pellegriti, W. Pla, S. Pietri, Z. Podolyak, A. Prochazka, C. Scheidenberger, V. Scuderi, B. Sitar, M. Steck, P. Strmen, B. Sun, T. Suzuki, I. Szarka, D. Torresi, H. Weick, J. S. Winfield, M. Winkler, H. J. Wollersheim, and T. Yamaguchi, in Proceedings of international conference "Nuclear Structure and Dynamics (NSD09)", May 4-8, 2009, Dubrovnik, Croatia. AIP Conf. Proc. 1165 (2009) 415-418.
56. *Entrance-channel effects in heavy-ion capture: role of octuple phonons*, N. Rowley and K. Hagino, in Proceedings of the 10th international conference on nucleus-nucleus collisions (NN2009), Aug. 16-21, 2009, Beijing, China. Nucl. Phys. A834 (2010) 110c-116c.
57. *Subbarrier fusion reactions with dissipative couplings*, K. Hagino, S. Yusa, and N. Rowley, in Proceedings of the 10th international conference on nucleus-nucleus collisions (NN2009), Aug. 16-21, 2009, Beijing, China. Nucl. Phys. A834 (2010) 135c-138c.
58. *Systematic study of the surface diffuseness of nuclear potential with high precision large-angle quasi-elastic scattering*, H.M. Jia, C.J. Lina, H.Q. Zhang, F. Yang, Z.H. Liu, F. Jia, X.X. Xu, S.T. Zhang and K. Hagino, in Proceedings of the 10th international conference on nucleus-nucleus collisions (NN2009), Aug. 16-21, 2009, Beijing, China. Nucl. Phys. A834 (2010) 189c-191c.
59. *Reaction mechanisms for weakly-bound, stable nuclei and unstable, halo nuclei on medium-mass targets*, C. Beck, N. Rowley, P. Papka, S. Courtin, M. Rousseau, F.A. Souza, N. Carlin, R. Liguori Neto, M.M. de Moura, M.G. Del Santo, A.A.P. Suaide, M.G. Munhoz, E.M. Szanto, A. Szanto de Toledo, N. Keeley, A. Diaz-Torres and K. Hagino, in Proceedings of the 10th international conference on nucleus-nucleus collisions (NN2009), Aug. 16-21, 2009, Beijing, China. Nucl. Phys. A834 (2010) 440c-445c.
60. *Di-neutron correlation in the ground state and E1 excitations of Borromean nuclei*, K. Hagino, H. Sagawa, and T. Oishi, in Proceedings of International Symposium on Frontiers of Researches in Exotic Nuclear Structures", Mar. 1-Mar. 4, 2010, Niigata, Japan. Modern Phys. Lett. A25 (2010) 1842-1845.
61. *Two-particle correlations in continuum dipole transitions in Borromean nuclei*, K. Hagino and H. Sagawa, in Proceedings of Many-body correlations from dilute to dense nuclear systems (MBC2011), Feb. 15-18, 2011, Paris, France. J. of Phys. Conf. Ser. 321 (2011) 012003/1-4.
62. *New type of pairing interactions in nuclear matter and finite nuclei*, H. Sagawa, J. Margueron, and K. Hagino, in Proceedings of Many-body correlations

from dilute to dense nuclear systems (MBC2011), Feb. 15-18, 2011, Paris, France. J. of Phys. Conf. Ser. 321 (2011) 012002/1-4.

63. *Role of non-collective excitations in subbarrier fusion reactions*,  
K. Hagino, S. Yusa, and N. Rowley, in Proceedings of the 5th International Conference FUSION11, May 2-6, 2011, Saint-Malo, France. EPJ Web of Conferences 17 (2011) 11002/1-4.
64. *Smooth transition from sudden to adiabatic states in heavy-ion fusion reactions at deep-subbarrier incident energies*,  
T. Ichikawa, K. Hagino, and A. Iwamoto, in Proceedings of the 5th International Conference FUSION11, May 2-6, 2011, Saint-Malo, France. EPJ Web of Conferences 17 (2011) 07001/1-6.

#### Refereed Book Chapter

1. *Heavy-Ion fusion reactions at energies below the Coulomb barrier*,  
N. Takigawa and K. Hagino, in “Heavy Elements and Related New Phenomena”, edited by W. Greiner and R.K. Gupta, (World Scientific, Singapore, 1999), p. 1025 – 1049.
2. *Heavy-ion fusion reaction as a quantum tunneling microscope*,  
K. Hagino and N. Takigawa, Butsuri 57 (2002) 588 – 591 (in Japanese).